INDEX

Author/Title Index

Abler, J. A., and Ro, P. I.
Directional damping control: vibration reduction and optimality for precision slide motion, 84
Abou-Kandil, H.: See Mestre, M., 268
Asakura, T.: See Gu, C., 219

Bifano, T., Yi, Y., and Kahl, W. K.
Fixed abrasive grinding of CVD SiC mirrors, 109
Bismayer, U., Brinksmeier, E., Güttler, B., Seibt, H., and Menz, C.
Measurement of subsurface damage in silicon wafers, 139
Brinksmeier, E.: See Bismayer, U., 139

Carpinetti, L. C. R., and Chetwynd, D. G.
A new strategy for inspecting roundness features, 283
Chang, M.
In-plane vibration displacement measurement using fiber-optical speckle interferometry, 36
Chang, R-S.: See Lin, C-S., 302
Chetwynd, D. G.: See Carpinetti, L. C. R., 283

Dow, T. A.: See Miller, M. H., 42

Evans, C. J.: See Parks, R. E., 223

Fan, Y. Y., and Huynh, V. M.
An investigation of light scattering from flat periodic rough surfaces for surface roughness estimation, 205
Friedrich, C. R., and Kang, S. D.
Micro heat exchangers fabricated by diamond machining, 56
Furukawa, Y.: See Liang, Y., 132; Moronuki, N., 124

Gao, W.: See Kiyono, S., 212
Garrard, K. P.: See Miller, M. H., 42
Gu, C., Peiponen, K-E., Silvennoinen, R., Luostarinen, J., Uozumi, J., and Asakura, T.
A simple proximity sensor for metal surface quality monitoring, 219
Güttler, B.: See Bismayer, U., 139

Hale, L. C., and Slocum, A. H.
Design of anti-backlash transmissions for precision position control systems, 244
Han, D-C., Park, S-S., Kim, W-J., and Kim, J-W.
A study on the characteristics of externally pressurized air bearings, 164
Hendriks, C. P.: See Visscher, M., 199
Holmes, M.: See Poovey, T., 99
Hou, W., and Zhao, X.
Drift of nonlinearity in the heterodyne interferometer, 25
Huynh, V. M.: See Fan, Y. Y., 205

Jung, S-B., and Kim, S-W.
Improvement of scanning accuracy of PZT piezoelectric actuators by feed-forward model-reference control, 49

Kahl, W. K.: See Bifano, T., 109
Kamiya, K.: See Nomura, T., 290
Kang, S. D.: See Friedrich, C. R., 56
Katsuki, A., Onikura, H., Sajima, T., Machida, S., and Oda, K.
Development of a deep-hole laser-guided boring tool: the boring of workpieces with a thin wall and an inclined prebored hole, 296
Kim, J-W.: See Han, D-C., 164
Kim, S-W.: See Jung, S-B., 49
Kim, W-J.: See Han, D-C., 164
Kiyono, S.: See Okuyama, E., 117
Kiyono, S., and Gao, W.
Profile measurement of machined surface with a new differential method, 212
Kobayashi, F.: See Nomura, T., 290
Koyanagawa, Y.: See Tomita, Y., 184

Liang, Y.: See Moronuki, N., 124
Liang, Y., Moronuki, N., and Furukawa, Y.
Calculations of the effect of material anisotrophy on microcutting processes, 132
Lin, C-S., and Chang, R-S.
Fiber optic displacement sensors for the measurement of a vibrating object, 302
Liu, H.: See Yung, K. L., 276
Luostarinen, J.: See Gu, C., 219

Machida, S.: See Katsuki, A., 296
Marsh, E. R.: See Slocum, A. H., 174
Menz, C.: See Bismayer, U., 139
Mestre, M., and Abou-Kandil, H.
Measuring the errors of form of industrial surfaces: prediction and optimization, 268
Miller, M. H., Garrard, K. P., Dow, T. A., and Taylor, L. W.
A controller architecture for integrating a fast tool servo into a diamond turning machine, 42
Miyashiro, H.: See Nomura, T., 290
Mize, C. D.: See Ziegert, J. C., 259
Moritoki, H.: See Okuyama, E., 117
Moronuki, N.: See Liang, Y., 132
Moronuki, N., Liang, Y., and Furukawa, Y.
Experiments on the effect of material properties on microcutting processes, 124

Nomura, T., Kamiya, K., Miyashiro, H., Yoshikawa, K., Tashiro, H., Suzuki, M., Ozono, S., Kobayashi, F., and Usuki, M.
An instrument for manufacturing zone-plates by using a lathe, 290

Oda, K.: See Katsuki, A., 296
Okuyama, E., Kiyono, S., and Moritoki, H.
Investigation of an optical noncontact gear geometry measurement system: measurement of pitch errors and tooth profiles, 117
Onikura, H.: See Katsuki, A., 296
Ozono, S.: See Nomura, T., 290

Park, S-S.: See Han, D-C., 164
Parks, R. E., and Evans, C. J.
Rapid post-polishing of diamond-turned optics, 223
Peiponen, K-E.: See Gu, C., 219
Pistecky, P. V., van Beek, H. F., and van der Wulp, H.
Development and manufacture of collimators for gamma ray imaging, 307
Poovey, T., Holmes, M., and Trumper, D.
A kinematically-coupled magnetic bearing calibration fixture, 99

Ro, P. I.: See Abler, J. A., 84

Sajima, T.: See Katsuki, A., 296
Satoh, F.: See Tomita, Y., 184
Seibt, H.: See Bismayer, U., 139
Silvennoinen, R.: See Gu, C., 219
Slocum, A. H.: See Hale, L. C., 244
Slocum, A. H., Marsh, E. R., and Smith, D. H.
A new damper design for machine tool structures: the replicated internal viscous damper, 174
Smith, D. H.: See Slocum, A. H., 174
Struik, K. G.: See Visscher, M., 192, 199
Suzuki, M.: See Nomura, T., 290

Taniguchi, N.
The state of the art of nanotechnology for processing of ultraprecision and ultrafine products, 5
Tashiro, H.: See Nomura, T., 290

Taylor, L. W.: See Miller, M. H., 42
Tomita, Y., Koyanagawa, Y., and Satoh, F.
A surface motor-driven precise positioning system, 184
Trumper, D.: See Poovey, T., 99

Uozumi, J.: See Gu, C., 219
Usuki, M.: See Nomura, T., 290

van Beek, H. F.: See Pistecky, P. V., 307
van der Wulp, H.: See Pistecky, P. V., 307
Visscher, M., Hendriks, C. P., and Struik, K. G.
Optical profilometry and its application to mechanically inaccessible surfaces. Part II: Application to elastomer/glass contacts, 199
Visscher, M., and Struik, K. G.
Optical prolifometry and its application to mechanically inaccessible surfaces. Part I: Principles of focus error detection, 192

Yi, Y.: See Bifano, T., 109
Yoshikawa, K.: See Nomura, T., 290
Yung, K. L., and Liu, H.
A study on dynamic performance of closed-loop commuted stepping motor to improve precision motion control, 276

Zhao, X.: See Hou, W., 25
Ziegert, J. C., and Mize, C. D.
The laser ball bar: a new instrument for machine tool metrology, 259

Keyword Index

Adaptive control, 296
Air bearings, 164
Anisotropy, 124, 132
Anti-backlash gears, 244
Aspheric optics, 223
Automatic inspection, 283

Bundle of fibers, 302

Ceramic machining, 109
Chip formation, 124
Closed-loop commuted, 276
Closed-loop control, 276
Collimators, 307
Computer simulation, 276
Confidence intervals, 268
Contacting envelope, 268
Contact mechanics, 199
Control, 268
Crystal orientation, 132
Crystals, 132

Damping, 174
Deep-hole boring, 296
Defect of focus system, 192
Diamond machining, 56
Diamond turning, 42, 223
Differential method, 212
Diffusion bonding, 56
Dimensional metrology, 268
Directional damping control, 84
Ductile-regime grinding, 109
Dynamic model, 276

Electroless nickel, 223
Ellipticity, 25
Error of form, 268

Fast tool servo, 42
Feed-forward control, 49
Film thickness measurement, 199
Finite-element design, 307
Focus error detection, 192
Force testing, 99

Gear, 117
Generalized 2-point method, 212
Grain boundary, 132

Heterodyne interferometer, 25
High-accuracy slit patterns, 307
High-speed controller design, 42
Hysteresis effects, 49
Hysteresis suppression, 49

Inclination method, 212
In-plane vibration, 36
Intensity-modulated fiber displacement sensor, 302

Kinematic couplings, 99

Laser ball bar, 259
Laser beam, 290
Laser beam application, 296
Laser–interferometer system, 184
Laser micromachining, 184
Light scattering, 205
Long-term stability, 25
Lubrication, 199

Machine tool metrology, 259
Machining, 139
Magnetic bearings, 99
Manufacture of zone-plate, 290
Material properties, 124
Metal surface, 219
Microcutting, 132
Micro heat exchanger, 56
Microcutting process, 124

Noncontact measurement, 117
Nonrotationally symmetric surfaces, 42
Nonlinearity, 25
Nonlinearity drift, 25

On-machine measurement, 212
Optical fabrication, 109
Optical probe, 117
Optical profilometry, 192, 199
Optimization, 268
Orthogonality, 25

Periodic surfaces, 205
Piezoelectric actuator, 42, 49
Pitch error, 117
Polarized beam, 25
Polishing, 223
Position control, 244
Positioning system, 184
Precision etching, 307
Precision motion control, 276
Precision slide motion, 84
Prediction, 268
Preload, 244
Profile measurement, 212
Proximity sensor, 219
PZT ceramics, 49

Quality monitoring, 219

Raman spectroscopy, 139
Real area of contact measurement, 199
Replicated internal viscous damper, 174
Residual stresses, 139
Reynolds' equation, 164
Roughness deformation measurement, 199
Roundness error, 283
Roundness features, 283

Scanning microscopy, 49
Semiconductor production, 184
Servo control, 184
Silicon wafers, 139
Software datum, 212
Speckle interferometry, 36
Stepping motor, 276
Subsurface damage, 139
Surface finish, 223
Surface motor, 184
Surface roughness, 205
Surface roughness measurement, 192, 199

Thermal phase drift, 25
Tooth profile, 117
Torque ripple, 276
Tribology, 199

Ultraprecision grinding, 109
Ultraprecision lathe, 290
Ultraprecise machining, 124

Vibration reduction, 84
Viscous fluid, 174

Workpiece property, 132

X-ray diffraction, 139

Zone-plane, 290
Zone plate interferometer, 290